

ATN GmbH · Postfach 1115 · D-82025 Grünwald

- Hotelausstattung
- Messe- und Ladenbau
- Auto- + Bootsinterieur
- Raumausstattung
- Textilien für Fitness

Technical data sheet for flame retardant vinyl

207x / 217x / 208x / 218x / 248x Vinyl Standard Plus

PARAMETER	DIMENSION	METHODE	RESULT
Weight	g/sqm	DIN EN ISO 2286-2	650 +/-50
Textil (cotton, PES)	g/sqm	DIN EN ISO 2286-2	80 - 90
Thickness	mm	DIN EN ISO 2286-2	0,95 - 1,10
Tensile Strength length width	N/5cm	DIN 53354	>=300 >=200
Tear Strength length width	N	DIN 53363	>=25 >=40
length width	N	DIN 53356	>=20 >=15
Adhesion length width	N/5cm	DIN 53357	>=30 >=30
Flame Resistance	mm/min	DIN 75200 B1-AT	≤ 100
	mm/min	FMVSS 302 DIN EN 1021 Teil 1 + 2 BS 5852 Part 1+ 2 NFP 92-503 fran.norm	≤ 100 no ignition no ignition M2
Rubbing dry/wet		DIN 54021	o.k.
Abrasion (Martindale)	cycles	DIN EN ISO 13934-1 BS 5690	>200.000
Colour/Ligth Fastness	Blue scale	DIN 75202 Metallic, Neoncolours	>=6 >=5
Flexibility room tempertaure	cycles	DIN 53351	100.000
Characteristics:	UV resistant / perspiration resistant / urine resistant / salt water resistant / waterproofed / tear resistant / non irritant / long durability /free of CD/AZO/FCKW/PCP/PCB/PCT/Fomaldehyd and hazard substances as prescribed by lawhealt		
Cleaning:	Please do not use abrasive cleaner! Use water solution of soap. We recommend our "Schnell-Desinfektions-Reiniger" for disinfection and cleaning. (1-liter bottle: article-no. 800x221 / sprayer: article-no. 800x222)		

Lysoform Dr. Hans Rosemann GmbH, Aldasan 2000 4%	•	•	•		•	•				•		•		•	•	•		•	•					•	•	•		•	•		
Medichem, Desinfektionsschaum	•	•	•		•	•				•		•		•	•	•		•	•					•	•	•		•	•		
Medichem, Flächen-wischdesinfektion	•	•	•		•	•				•		•		•	•	•		•	•					•	•	•		•	•		
Merz, Pursept AF	•	•	•		•	•				•		•		•	•	•		•	•					•	•	•		•	•		
Schülke & Mayr, Antifect plus 0,5 %	•	•	•		•	•				•		•		•	•	•		•	•					•	•	•		•	•		
Schülke & Mayr, Perform	•	•	•		•	•				•		•		•	•	•		•	•					•	•	•		•	•		
Schülke & Mayr, Terralin	•	•	•		•	•				•		•		•	•	•		•	•					•	•	•		•	•		
Schülke & Mayr GmbH, Buraton 3025		•			•					•	•	•	•	•	•	•							•	•	•	•	•	•	•	•	•
Tana Chemie GmbH, Apesin rapid 3%	•	•	•		•	•				•		•		•	•	•		•	•					•	•	•		•	•		

Um einfach Verschmutzungen zu entfernen, können Sie auch Seifenwasser verwenden.
Bitte beachten Sie, dass für metallic-farbene Kunstleder andere Reiniger verwendet werden müssen als für die normalen Farben.

Diese Tabelle zeigt, welche Desinfektionsmittel zur Reinigung und Flächendesinfektion unserer Kunstleder empfehlenswert sind. Da wir auf etwaige Veränderungen der Inhaltsstoffe der Desinfektionsmittel, Schwankungen der Rohstoffe sowie auf die Art der Anwendung keinerlei Einfluss haben, können keine Garantien gegeben werden. Eine Beeinträchtigung des Polstermaterials bei Langzeitanwendung ist nicht ausgeschlossen. Bitte melden Sie uns solche Fälle.